



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,406	09/12/2003	Patrick P. Wu	ENDOS 64190	6647
24201	7590	08/08/2006	EXAMINER HOUSTON, ELIZABETH	
FULWIDER PATTON 6060 CENTER DRIVE 10TH FLOOR LOS ANGELES, CA 90045			ART UNIT 3731	PAPER NUMBER

DATE MAILED: 08/08/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

## Office Action Summary

Application No.

10/661,406

Applicant(s)

WU ET AL.

Examiner

Elizabeth Houston

Art Unit

3731

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 12 September 2003.
- 2a) ☐ This action is FINAL. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- ☒ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 053006
- ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_
- ☐ Notice of Informal Patent Application (PTO-152)
- ☐ Other: \_\_\_\_\_

## DETAILED ACTION

### *Specification*

1. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The invention is," etc.

2. The disclosure is objected to because of the following informalities: same number for different parts. Page 10 lines 2 and 5, label "22" is used to describe inner catheter member and outer restraining member.

3. The disclosure is objected to because of the following informalities: clarity. Regarding page 10, lines 2-4, it is unclear how the inner catheter member is maintained stationary relative to the outer restraining member if the outer restraining member is being retracted while the inner catheter member does not move.

Appropriate correction is required.

### **35 USC § 112 Sixth Paragraph**

1. It is assumed that applicant has intended to invoke 112 sixth paragraph as per the means for language set forth in the claims.

- a. In Claim 4, "means for evacuating air" is interpreted by the specification to be openings in the inner catheter or equivalents thereof.
- b. In Claim 11, "means for preventing unintentional movement of the gear rack" is interpreted by the specification to be a spring or equivalents thereof
- c. In claim 12, "means for allowing motion of the gear rack in only one direction" is interpreted by the specification to be a spring or equivalents thereof
- d. In claim 14, "means for allowing motion of the outer restraining member in only one direction" is interpreted by the specification to be a spring or equivalents thereof.

### ***Claim Objections***

- 2. Claim 1 is objected to because of the following informalities: the limitation "said inner tubular member" lacks antecedent basis. Appropriate correction is required.

### ***Claim Rejections - 35 USC § 103***

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

- 4. Claims 1-6, 10-14 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sullivan III, et al. (USPN 5,968,052) in view of Failla et al. (USPN 5,501,654).

5. Sullivan discloses a system for delivering and deploying a medical device within a patient, the system comprising a delivery catheter including an inner catheter member (12) having a region for mounting the medical device (18) thereon and an outer restraining member (14) co-axially disposed over the inner catheter member and the medical device. The outer restraining member is adapted for axial movement with respect to the catheter. A control handle has a retraction mechanism (Fig. 12, 82, 84) and the inner catheter member has a proximal end (52) attached to the control handle and the outer restraining member having a proximal end attached to the retraction mechanism (32, 34). Actuation of the control handle causes linear movement of the retraction mechanism to proximally retract the outer restraining member sheath to uncover the medical device while the inner catheter member remains stationary. The inner catheter member includes a guide wire lumen (35) extending from the proximal end of the inner catheter member to the distal end of the inner catheter member. A lock mechanism (48) prevents the retraction mechanism from moving proximally until the medical device is ready to be deployed. The device has means for evacuating air from the delivery catheter (24). The device includes an outer sheath (introducer), which extends co-axially over a portion of the outer restraining member and is attached to the control handle when the device is inserted into the introducer (Col 5, lines 43-45). The outer sheath is attachable to the entry point of the patient to provide a conduit for the delivery catheter to prevent the distal end of the inner catheter member from moving distally when the outer restraining member is being retracted via the control handle. The outer sheath is removably attached to the control handle. The retraction mechanism

Art Unit: 3731

includes a gear rack (84), which is slidable within a channel (90) formed in the control handle and a spur gear (74) attached to the gears of the gear rack. An actuating gear (72) mates with the spur gear (74) to cause the gear rack to move linearly within the channel when control handle is actuated. The system includes stop means (92) for preventing unintentional movement of the gear rack; for allowing motion of the gear rack in only one direction within the channel; for allowing motion of the gear rack in only one direction; and for allowing motion of the outer restraining member in only one direction. The stop mean is a spring having an edge that contacts the distal surface of the gears forming the gear rack to prevent distal movement of the gear rack.

6. Sullivan does not disclose that the actuating mechanism is a thumbwheel.

7. Gillick et al. discloses a surgical device using a thumbwheel for actuating a gear to axially move a rack in order to axially move a distal portion of the medical device.

8. It would have been obvious to one having ordinary skill in the art at the time of the invention to incorporate the use of a thumbwheel into the stent delivery device since Gillick offers it as an alternate actuation mechanism. The gear and rack mechanism of Gillick are analogous with the gear and rack mechanism of Sullivan. Gillick merely offers an equivalent structure for initiating the actuation of the gear and rack mechanism.

9. Claims 7 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sullivan in view of Failla as applied to claims 5 and 7 above, and further in view of Kratoska et al. (USPN 6,183,443)

Art Unit: 3731

10. Sullivan in view of Failla discloses the instant invention substantially as claimed as stated above except for the outer sheath is attached to a strain relief member, which is removably attached.

11. Kratoska discloses an introducer sheath having a proximal end attached to a strain relief member. The introducer of Kratoska is a separate entity from the device that is being inserted into it just as in Sullivan in view of Failla. The introducer has a distal portion that has a smaller inner diameter than a proximal portion of the sheath.

12. It would have been obvious to one having ordinary skill in the art at the time of the invention to incorporate a strain relief into the introducer since it is well known in the art to use a strain relief as evidenced by Kratoska to reduce buckling or kinking.

13. Claims 8 and 9 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sullivan in view of Failla as applied to claim 7 above, and further in view of Lowery et al (USPN 4,624,243).

14. Sullivan in view of Failla discloses the instant invention substantially as claimed as stated above except for the strain relief having a channel for receiving a tab like member of the control handle.

15. Lowery discloses that it is old and well known in the art to use a threaded connection between an introducer and a medical device. The spaces between the threads of the introducer are analogous with the channel of the strain relief and the projecting threads of the medical device are analogous with the tabs on the control handle.

Art Unit: 3731

16. It would have been obvious to one having ordinary skill in the art at the time of the invention to incorporate threads into the introducer and the medical device since it is old and well known in the art. Furthermore it provides the advantage of stabilizing the device while performing the medical procedure.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Elizabeth Houston whose telephone number is 571-272-7134. The examiner can normally be reached on M-F 9:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan Nguyen can be reached on 571-272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Application/Control Number: 10/661,406

Page 8

Art Unit: 3731

eh

A handwritten signature in black ink, consisting of several loops and a long horizontal stroke extending to the right.A handwritten signature in black ink, featuring a stylized 'A' shape followed by a horizontal line.

ANHTUAN T. NGUYEN  
SUPERVISORY PATENT EXAMINER

8/7/06.